STATE OF CALIFORNIA STATE WATER RESOURCES CONTROL BOARD 2012-2013 ANNUAL REPORT FOR STORM WATER DISCHARGES ASSOCIATED WITH INDUSTRIAL ACTIVITIES

CALIFORNIA REGIONAL WATER

JUL I 2013

QUALITY CONTROL BOARD

Reporting Period July 1, 2012 through June 30, 2013

An Annual Report is required to be submitted to your local Regional Water Quality Control Board (Regional Board) by July 1 of each year. This document must be certified and signed, under penalty of perjury, by the appropriate official of your company. Many of the Annual Report questions require an explanation. Please provide explanations on a separate sheet as an attachment. Retain a copy of the completed Annual Report for your records.

Please circle or highlight any information contained in Items A, B, and C below that is new or revised so we can update our records. Please remember that a Notice of Termination and new Notice of Intent are required whenever a facility operation is relocated or changes ownership.

If you have any questions, please contact your Regional Board Industrial Storm Water Permit Contact. The names, telephone numbers, and e-mail addresses of the Regional Board contacts, as well as the Regional Board Offices addresses are indicated below.

REGIONAL BOARD INFORMATION:

San Francisco Bay Region 1515 Clay Street, Ste.1400

Oakland, CA 94612

Contact: Danny Pham Tel: (510) 622-2300

Contact: Sean Riley

Tel: 510-790-8625

Email:

Email: r2stormwater@waterboards.ca.gov

GENERAL INFORMATION

A. Facility Information:

Cargill Inc Redwood City

295 Seaport Blvd

Redwood City, CA 94063

WDID NO: 2 411002742

SIC Code(s):

2899

Chemicals and Chemical Preparations, NEC

B. Facility Operator Information:

Cargill Inc

7220 Central Ave

Newark, CA 94560

C. Facility Billing Information:

Cargill Inc

7220 Central Ave

Newark, CA 94560

Contact: Sean Riley

Email: Sean D Riley@cargill.com

Tel: 510-790-8625

Contact: Sean Riley

Email: Sean D Riley@cargill.com

Tel: 510-790-8625

SPECIFIC INFORMATION

MONITORING AND REPORTING PROGRAM

D.	SA	MPLING A	ND ANAL	YSIS EXEMPT	IONS AND RED	DUCTIONS						
	1.	For the reporting period, was your facility exempt from collecting and analyzing samples from two storm events in accordance with sections B.12 or 15 of the General Permit?										
		YI	ES G	io to Item D.2			x	NO	Go to Section E			
	2.	Indicate the reason your facility is exempt from collecting and analyzing samples from two storm events. Attach a copy of the first page of the appropriate certification if you check boxes ii, iii, iv, or v.										
		i	Participa	iting in an Appi	roved Group Mo	onitoring Plan		Group	Name:			
		ii	Submitte	ed No Exposu	ıre Certificatio	on (NEC)		Date S	ubmitted:			
			Re-eval	uation Date: _								
			Does fa	cility continue t	o satisfy NEC o	conditions?		YES	☐ NO			
		iii.	Submitte	ed Sampling F	Reduction Cer	tification (SR	C)	Date S	submitted:			
			Re-eval	uation Date: _								
			Does fa	cility continue t	to satisfy SRC	conditions?		YES	NO			
		iv	Receive	d Regional Bo	ard Certification	n	Certifica	ation Dat	te:			
		v	Receive	d Local Agend	y Certification			Cetific	ation Date:			
	3.	If you ch	ecked box	es i or iii abov	e, were you sch	neduled to sam	nple one s	storm ev	ent during the reporting year?			
		Y	ES (So to Section E	Ē			NO	Go to Section F			
	4.	If you ch	ecked box	es ii, iv, or v, g	jo to Section F.							
E.	SAM	IPLING AN	ND ANALY	SIS RESULTS	•							
	1.	How ma	ny storm (events did you	sample?	0		2.i or iii.	ttach explanation (if you checked above, only attach explanation if you			
	2.				ples from the fi s? (Section B.5			son that	produced a discharge during			
		X	YES					NO,	attach explanation (Please note that if you do not sample the first storm event, you a still required to sample 2 storm events)			

3. How many storm water discharge locations are at your facility? ____1

4.		each storm event sampled, did you collect and analyze a nple from each of the facilitys' storm water discharge locations	? 🔲	? YES, go to Item É.6			
5.		s sample collection or analysis reduced in accordance a Section B.7.d of the General Permit?		YES		NO, attach explanation	
	If "Y that	YES", attach documentation supporting your determination two or more drainage areas are substantially identical.					
	Dat	te facility's drainage areas were last evaluated 6/4/13					
6.	We	ere all samples collected during the first hour of discharge?		YES	X	NO, attach explanation	
7.		is <u>all</u> storm water sampling preceded by three (3) rking days without a storm water discharge?		YES	X	NO, attach explanation	
8.		ere there any discharges of stormwater that had been approarily stored or contained? (such as from a pond)		YES	X	NO, go to Item E.10	
9.	cont	you collect and analyze samples of temporarily stored or ained storm water discharges from two storm events? one storm event if you checked item D.2.i or iii. above)		YES		NO, attach explanation	
10.	Spec	tion B.5. of the General Permit requires you to analyze storm v cific Conductance (SC), Total Organic Carbon (TOC) or Oil ar corm water discharges in significant quantities, and analytical	nd Greas	e (O&G), ot	ner pol	lutants likely to be present	
	a.	Does Table D contain any additional parameters related to your facility's SIC code(s)?		YES	X	NO, Go to Item E.11	
	b.	Did you analyze all storm water samples for the applicable parameters listed in Table D?		YES		NO	
	C.	If you did not analyze all storm water samples for the applicable Table D parameters, check one of the following reasons:					
		In prior sampling years, the parameter(s) have no consecutive sampling events. Attach explanation		etected in si	gnifica	nt quantities from two	
		The parameter(s) is not likely to be present in stor discharges in significant quantities based upon the		_			
		Other. Attach explanation					
11.		each storm event sampled, attach a copy of the laboratory anults using Form 1 or its equivalent. The following must be pro	-	•	•	, -	
	•	Date and time of sample collection Name and title of sampler. Parameters tested. Name of analytical testing laboratory. Discharge location identification.	Test m Test de Date o	g results. ethods used etection limit f testing. s of the labor	s.	analytical results.	

F. QUARTERLY VISUAL OBSERVATIONS

1.	Secti	thorized Non-Storm Water Discharges ction B.3.b of the General Permit requires quarterly visual observations of all authorized non-storm water charges and their sources.					
	a.	Do authorized non-storm water discharges occur at your facility?					
		YES NO Go to item F.2					
	b.	Indicate whether you visually observed all authorized non-storm water discharges and their sources during the quarters when they were discharged. Attach an explanation for any "NO" answers . Indicate "N/A" for quarters without any authorized non-storm water discharges.					
		July -September TYES NO N/A October-December TYES NO N/A					
		January-March YES NO N/A April-June YES NO N/A					
	C.	Use Form 2 to report quarterly visual observations of authorized non-storm water discharges or provide the following information.					
		 i. name of each authorized non-storm water discharge ii. date and time of observation iii. source and location of each authorized non-storm water discharge iv. characteristics of the discharge at its source and impacted drainage area/discharge location v. name, title, and signature of observer vi. any new or revised BMPs necessary to reduce or prevent pollutants in authorized non-storm water discharges. Provide new or revised BMP implementation date. 					
2.	Sect	Inauthorized Non-Storm Water Discharges lection B.3.a of the General Permit requires quarterly visual observations of all drainage areas to detect the resence of unauthorized non-storm water discharges and their sources.					
	a.	Indicate whether you visually observed all drainage areas to detect the presence of unauthorized non-storm water discharges and their sources. Attach an explanation for any "NO" answers.					
		July -September X YES NO October-December X YES NO					
		January-March X YES NO April-June X YES NO					
	b.	Based upon the quarterly visual observations, were any unauthorized non-storm water discharges detected?					
		YES NO Go to item F.2.d					
	C.	Have each of the unauthorized non-storm water discharges been eliminated or permitted?					
		YES NO Attach explanation					
	d.	Use Form 3 to report quarterly unauthorized non-storm water discharge visual observations or provide the following information.					
		 i. name of each unauthorized non-storm water discharge. ii. date and time of observation. iii. source and location of each unauthorized non-storm water discharge. iv. characteristics of the discharge at its source and impacted drainage area/discharge location. v. name, title, and signature of observer. vi. any corrective actions necessary to eliminate the source of each unauthorized non-storm water discharge and to clean impacted drainage areas. Provide date unauthorized non-storm water discharge(s) was eliminated or scheduled to be eliminated. 					

G. MONTHLY WET SEASON VISUAL OBSERVATIONS

Section B.4.a of the General Permit requires you to conduct monthly visual observations of storm water discharges at all storm water discharge locations during the wet season. These observations shall occur during the first hour of discharge or, in the case of temporarily stored or contained storm water, at the time of discharge.

	LI J	e mar nom or disc	alarge or, in	the case of temporari	ly stored or container	u Stomi Water, at th	e unie oi discharge.	
	1.	locations. At storm events	tach an exp occurred du d provide the	onthly visual observat lanation for any "NO ring scheduled facility e date, time, name and	" answers. Include operating hours that	in this explanation with did not result in a s	whether any eligible tom water	
		October	YES ×	NO	February	YES X	NO	
		November	×		March	X		
		December	X		April	×		
		January	×		May	X		
2. Report monthly wet season visual observations using Form 4 or provide the following in							information.	
	 date, time, and location of observation name and title of observer c. characteristics of the discharge (i.e., odor, color, etc.) and source of any pollutants observed. d. any new or revised BMPs necessary to reduce or prevent pollutants in storm water discharges. Provide new or revised BMP implementation date. 							
ANI H.	ACSC Section	E CHECKLIST on A.9 of the Gene 30). Evaluations	eral Permit r must be con	equires the facility oper educted within 8-16 mo as necessary, within 9	erator to conduct one onths of each other.	ACSCE in each report The SWPPP and m	nonitoring program	
	minim		ary to comp	lete a ACSCE. Indica				
		Have you inspect The following area		tial pollutant sources a inspected:	and industrial activitie	s areas? 🗶 YES	□ NO	
	1	the last year.outdoor washprocess/man	and rinse aufacturing a ading, and tel e/disposal aute generatir	reas. ransfer areas. reas.	 material s vehicle/ed truck parh rooftop ed vehicle fu 	epair, remodeling, a storage areas quipment storage are king and access are quipment areas leling/maintenance in water discharge g	reas aas areas	
				PPP to assure that its id industrial activities a		ng X	s NO	
				e facility to verify that t site map items should		ap,	s No	
		 facility bound 	larice		 etorm water di 	scharges locations		

- outline of all storm water drainage areas
- areas impacted by run-on

- storm water collection and conveyance system
- structural control measures such as catch basins, berms, containment areas, oil/water separators, etc.

4.	Have you reviewed all General Permit compliance record since the last annual evaluation?	ds gene	erated	X YES	□NO
	The following records should be reviewed:				
	 quarterly authorized non-storm water discharge visual observations monthly storm water discharge visual observation records of spills/leaks and associated clean-up/response activities 	•	quarterly unauthori water discharge vis Sampling and Anai preventative mainte and maintenance r	sual observal lysis records enance inspe	tions
5.	Have you reviewed the major elements of the SWPPP to compliance with the General Permit?	o assur	e	X YES	☐ NO
	The following SWPPP items should be reviewed:				
	 pollution prevention team list of significant materials description of potential pollutant sources 	•	assessment of pot identification and c implemented for e	lescription of	the BMPs to be
6.	Have you reviewed your SWPPP to assure that a) the B in reducing or preventing pollutants in storm water discharges, and b) the BMPs are being	narges :	and authorized	X YES	□ио
	The following BMP categories should be reviewed:				
	 good housekeeping practices spill response employee training erosion control quality assurance 	# 5 •	preventative main material handling waste handling/st structural BMPs	and storage	practices
7.	Has all material handling equipment and equipment need implement the SWPPP been inspected?	eded to		X YES	NO
ACS	SCE EVALUATION REPORT				
The	facility operator is required to provide an evaluation repo	ort that i	ncludes:		
•	identification of personnel performing the evaluation the date(s) of the evaluation necessary SWPPP revisions	•	schedule for imple any incidents of nactions taken.	-	IPPP revisions ce and the corrective
Use	Form 5 to report the results of your evaluation or develo	p an e	quivalent form.		
AC:	SCE CERTIFICATION				
	e facility operator is required to certify compliance with the tify compliance, both the SWPPP and Monitoring Program				
	sed upon your ACSCE, do you certify compliance with the ivities Storm Water General Permit?	e Indust	rial 🗶 YE	is [NO
	ou answered "NO" attach an explanation to the ACSCE			u are not in	

1.

J.

ATTACHMENT SUMMARY

	Answer the questions below to help you determine what should be attached to this annual report. Answer NA (Not Applicable) to questions 2-4 if you are not required to provide those attachments.								
1.	Have you attached Forms 1,2,3,4, and 5 or their equivalent?	X	YES	(Mandatory)					
2.	If you conducted sampling and analysis, have you attached the laboratory analytical reports?	X	YES	□ NO		NA			
3.	If you checked box II, III, IV, or V in item D.2 of this Annual Report, have you attached the first page of the appropriate certifications?		YES	☐ NO	X	NA			
4.	Have you attached an explanation for each "NO" answer in items E.1, E.2, E.5-E.7, E.9, E.10.c, F.1.b, F.2.a, F.2.c, G.1, H.1-H.7, or J?	X	YES	□ мо	· 🗀	NA			
A!	NNUAL REPORT CERTIFICATION								
PE we pe wh su sig kn	arm duly authorized to sign reports required by the INDUSTRIAL ERMIT (see Standard Provision C.9) and I certify under penalty are prepared under my direction or supervision in accordance we ersonnel properly gather and evaluate the information submitted no manage the system, or those person directly responsible for abmitted is, to the best of my knowledge and belief, true, accurate gnificant penalties for submitting false information, including the lowing violations.	of law ith a s . Bas gathe te and	that that the thick t	this document of the designed to earn my inquiry of the information, plete. I am away	and all attacensure that question the person of the informater that there	hments ualified r persons ion e are			
Pr	inted Name: Sean Riley								
Si	gnature: 🐠 🚾			Date:	6/28/13				
Ti	He: Environmental Manager				•				

DESCRIPTION OF BASIC ANALYTICAL PARAMETERS

The Industrial Activities Storm Water General Permit (General Permit) requires you to analyze storm water samples for at least four parameters. These are pH, Total Suspended Solids (TSS), Specific Conductance (SC), and Total Organic Carbon (TOC). Oil and Grease (O&G) may be substituted for TOC. In addition, you must monitor for any other pollutants which you believe to be present in your storm water discharge as a result of industrial activity and analytical parameters listed in Table D of the General Permit. There are no numeric limitations for the parameters you test for.

The four parameters which the General Permit requires to be tested are considered *indicator* parameters. In other words, regardless of what type of facility you operate, these parameters are nonspecific and general enough to usually provide some indication whether pollutants are present in your storm water discharge. The following briefly explains what each of these parameters mean:

pH is a numeric measure of the hydrogen-ion concentration. The neutral, or acceptable, range is within 6.5 to 8.5. At values less than 6.5, the water is considered acidic; above 8.5 it is considered alkaline or basic. An example of an acidic substance is vinegar, and a alkaline or basic substance is liquid antacid. Pure rainfall tends to have a pH of a little less than 7. There may be sources of materials or industrial activities which could increase or decrease the pH of your storm water discharge. If the pH levels of your storm water discharge are high or low, you should conduct a thorough evaluation of all potential pollutant sources at your site.

Total Suspended Solids (TSS) is a measure of the undissolved solids that are present in your storm water discharge. Sources of TSS include sediment from erosion of exposed land, and dirt from impervious (i.e. paved) areas. Sediment by itself can be very toxic to aquatic life because it covers feeding and breeding grounds, and can smother organisms living on the bottom of a water body. Toxic chemicals and other pollutants also adhere to sediment particles. This provides a medium by which toxic or other pollutants end up in our water ways and ultimately in human and aquatic life. TSS levels vary in runoff from undisturbed land. It has been shown that TSS levels increase significantly due to land development.

Specific Conductance (SC) is a numerical expression of the ability of the water to carry an electric current. SC can be used to assess the degree of mineralization, salinity, or estimate the total dissolved solids concentration of a water sample. Because of air pollution, most rain water has a SC a little above zero. A high SC could affect the usability of waters for drinking, irrigation, and other commercial or industrial use.

Total Organic Carbon (TOC) is a measure of the total organic matter present in water. (All organic matter contains carbon)
This test is sensitive and able to detect small concentrations of organic matter. Organic matter is naturally occurring in animals, plants, and man. Organic matter may also be man made (so called synthetic organics). Synthetic organics include pesticides, fuels, solvents, and paints. Natural organic matter utilizes the oxygen in a receiving water to biodegrade. Too much organic matter could place a significant oxygen demand on the water, and possibly impact its quality. Synthetic organics either do not biodegrade or biodegrade very slowly. Synthetic organics are a source of toxic chemicals that can have adverse affects at very low concentrations. Some of these chemicals bioaccumulate in aquatic life. If your levels of TOC are high, you should evaluate all sources of natural or synthetic organics you may use at your site.

Oil and Grease (O&G) is a measure of the amount of oil and grease present in your storm water discharge. At very low concentrations, O&G can cause a sheen (that floating "rainbow") on the surface of water (1 qt. of oil can pollute 250,000 gallons of water). O&G can adversely affect aquatic life and create unsightly floating material and film on water, thus making it undrinkable. Sources of O&G include maintenance shops, vehicles, machines and roadways.

If you have any questions regarding whether or not your constituent concentrations are too high, please contact your local Regional Board office. The United States Environmental Protection Agency (USEPA) has published stormwater discharge benchmarks for a number of parameters. These benchmarks may be helpful when evaluating whether additional BMPs are appropriate. These benchmarks can be accessed at our website at http://www.swrcb.ca.gov. It is contained in the Sampling and Analysis Reduction Certification.

See Storm Water Contacts at

http://www.waterboards.ca.gov/water issues/programs/stormwater/contact.shtml

Attachment to Annual Report
Explanations for Questions in Annual Report Questionnaire
2012 - 2013 Season (July 1, 2012- June 30, 2013)
Cargill Salt - Redwood City

Prepared by: Dana Johnston

Company: Crawford Consulting, Inc.

Item E.1. Justification that less than 2 storm events were sampled

No storm events were sampled. There was no off-site discharge. All storm water is retained on-site.

Item E.2. Justification that samples were not collected during the first storm event

No storm events were sampled. There was no off-site discharge. All storm water is retained on-site.

Item E.6. Justification that samples were not collected during the first hour of discharge

No storm events were sampled. There was no off-site discharge. All storm water is retained on-site.

Item E.7. Justification that samples were not preceded by three working days without a storm water discharge

No storm events were sampled. There was no off-site discharge. All storm water is retained on-site.

SIDE A

FORM 1-SAMPLING & ANALYSIS RESULTS

FIRST STORM EVENT

- If analytical results are less than the detection limit (or non detectable), show the value as less than the numerical value of the detection limit (example: <.05)
 If you did not analyze for a required parameter, do not report "0", instead, leave the appropriate box blank
- When analysis is done using portable analysis (such as portable pH meters, SC meters, etc.), indicate "PA" in the appropriate test method used box.
 Make additional copies of this form as necessary.

NAME OF PERSON COLLECTING SAMPLE(S):				TITLE: SIGNATURE:							_	
				ANALYTICAL RESULTS For First Storm Event								
DESCRIBE DISCHARGE LOCATION	DATE/TIME OF SAMPLE COLLECTION	TIME DISCHARGE	BASIC PARAMETERS						отн	ER PARAMÉ	TERS	
Example: NW Out Fall	COLLECTION	STARTED	pН	TSS	sc	O&G	TOC					
	AM	AM										
	AM	AM PM										
	AM	AM										
	AM □ PM	AM Dew										
TEST REPORTING UNITS:			pH Units	mg/l	umho/cm	mg/l	mg/l					
TEST METHOD DETECTION LIMIT:												
TEST METHOD US												
ANALYZED BY (SE	(LF/LAB):											

TSS - Total Suspended Solids

SC - Specific Conductance

O&G - Oil & Grease

TOC - Total Organic Carbon

FORM 1-SAMPLING & ANALYSIS RESULTS SECOND STORM EVENT

- If analytical results are less than the detection limit (or non detectable), show the value as less than the numerical value of the detection limit (example; <.05) If you did not analyze for a required parameter, do not report "0". Instead, leave the appropriate box blank
- When analysis is done using portable analysis (such as portable pH meters, SC meters, etc.), indicate "PA" in the appropriate test method used box. Make additional copies of this form as necessary.

SIDE B

NAME OF PERSON COL	3):	TITLE:				SIGNATURE:						
			ANALYTICAL RESULTS For First Storm Event									
DESCRIBE DISCHARGE LOCATION	DATE/TIME OF SAMPLE COLLECTION	TIME DISCHARGE	BASIC PARAMETERS					ОТН	ER PARAME	TERS		
Example: NW Out Fall	COLLECTION	STARTED	рH	TSS	SC	O&G	тос					
	AM	AM PM										_
	AM	AM										
	AM	AM PM										
	AM	AM PM										
TEST REPORTING	UNITS:		pH Units	mg/i	umho/cm	mg/l	mg/i					
TEST METHOD DE												
TEST METHOD US												
ANALYZED DY (OF EAR)					1							

ANALYZED BY (SELF/LAB): TSS - Total Suspended Solids

SC - Specific Conductance

O&G - Oil & Grease

TOC - Total Organic Carbon

THERE ARE NO AUTHORIZED NON-STORMWATER DISCHARGES AT THIS LOCATION

SIDE A

FORM 2-QUARTERLY VISUAL OBSERVATIONS OF $\underline{AUTHORIZED}$ NON-STORM WATER DISCHARGES (NSWDs)

- Quarterly dry weather visual observations are required of each authorized NSWD. Observe each authorized NSWD source, impacted drainage area, and
- discharge tocation.
- Authorized NSWDs must meet the conditions provided in Section D (pages 5-6), of the General Permit.
- Make additional copies of this form as necessary.

QUARTER: JULY-SEPT. DATE:	Observers Name:	WERE ANY AUTHORIZED NSWDs DISCHARGED DURING THIS QUARTER? NO YES If YES, complete reverse side of this form.
QUARTER: OCTDEC. DATE:	Observers Name: Title: Signature:	WERE ANY AUTHORIZED NSWDs DISCHARGED DURING THIS QUARTER? NO YES If YES, complete reverse side of this form.
QUARTER: JANMARCH DATE:	Observers Name: Title: Signature:	WERE ANY AUTHORIZED NSWDs DISCHARGED DURING THIS QUARTER? NO YES If YES, complete reverse side of this form.
QUARTER: APRIL-JUNE DATE:	Observera Name: Title: Signature:	WERE ANY AUTHORIZED NSWDs DISCHARGED DURING THIS QUARTER? If YES, complete reverse side of NO this form.

FORM 2-QUARTERLY VISUAL OBSERVATIONS OF <u>AUTHORIZED</u> NON-STORM WATER DISCHARGES (NSWDs)

SIDE B

DATE /TIME OF OBSERVATION	SOURCE AND LOCATION OF AUTHORIZED NSWD	NAME OF AUTHORIZED NSWD	CHARAC Indicate whether authoriz discolored, causing stain	THORIZED NSWD CTERISTICS led NSWD is clear, cloudy, or ling, contains floating objects in, has odors, etc.	DESCRIBE ANY REVISED OR NEW BMPs AND PROVIDE THEIR IMPLEMENTATION DATE
	EXAMPLE: Air conditioner Units on Building C	EXAMPLE: Air conditioner condensate	At the NSWD Source	At the NSWD Drainage Area and Discharge Location	
AM					

AM					
[] AM					

SIDE A

FORM 3-QUARTERLY VISUAL OBSERVATIONS OF UNAUTHORIZED NON-STORM WATER DISCHARGES (NSWDs)

- Unauthorized NSWDs are discharges (such as wash or rinse waters) that do not meet the conditions provided in Section D (pages 5-6) of the General Permit.
- Quarterly visual observations are required to observe current and detect prior unauthorized NSWDs.

- Quarterly visual observations are required during dry weather and at all facility drainage areas.

 Each unauthorized NSWD source, impacted drainage area, and discharge location must be identified and observed.

 Unauthorized NSWDs that can not be eliminated within 90 days of observation must be reported to the Regional Board in accordance with Section A.10.e of the General Permit.
- Make additional copies of this form as necessary.

QUARTER: JULY-SEPT. DATE/TIME OF OBSERVATIONS	Observers Name: Anthony Paredes Jr. Title: Supervisor	WERE UNAUTHORIZED NSWDs OBSERVED?	□YES KNO	If YES to either question, complete
8/17/12 11:30 X AM 8/17/12 11:00 PM 9/22/12 17:00 pm	signature: See attached	WERE THERE INDICATIONS OF PRIOR UNAUTHORIZED NSWDs?	□YES ☑NO	reverse side.
QUARTER: OCTDEC. DATE/TIME OF OBSERVATIONS	Observers Name: Anthony Parcdes Jr. Title: Supervisor	WERE UNAUTHORIZED NSWDs OBSERVED?	□YES KINO	If YES to either question, complete
12/19/12 8:00 PM	signature: See attached	WERE THERE INDICATIONS OF PRIOR UNAUTHORIZED NSWDs?	∏YES K∑NO	reverse side,
QUARTER: JANMARCH DATE/TIME OF OBSERVATIONS	Observers Name: Anthony Paredes Jr. Title: Supervisor	WERE UNAUTHORIZED NSWDs OBSERVED?	□YES KINO	If YES to either question, complete
2/22/13 6:00 PM	Signature: See attached	WERE THERE INDICATIONS OF PRIOR UNAUTHORIZED NSWDs?	□YES KNO	reverse side.
QUARTER: APRIL-JUNE DATE/TIME OF OBSERVATIONS	Observers Name: Anthony Paredes Jr. Supervisor	WERE UNAUTHORIZED NSWDs OBSERVED?	□YES ⊠NO	If YES to either question,
5/31/13 9:00 X AM	Signature: See attached	WERE THERE INDICATIONS OF PRIOR UNAUTHORIZED NSWDs?	□YES ⊠NO	complete reverse side.

SIDE B

FORM 3 QUARTERLY VISUAL OBSERVATIONS OF <u>UNAUTHORIZED</u> NON-STORM WATER DISCHARGES (NSWDs)

OBSERVATION DATE (FROM REVERSE SIDE)	NAME OF UNAUTHORIZED NSWD	SOURCE AND LOCATION OF UNAUTHORIZED NSWD	DESCRIBE UNAU CHARACT Indicate whether unauthoriz discolored, causing stains; co o sheen, has	DESCRIBE CORRECTIVE ACTIONS TO ELIMINATE UNAUTHORIZED NSWD AND TO CLEAN IMPACTED DRAINAGE AREAS. PROVIDE UNAUTHORIZED	
	EXAMPLE: Vehicle Wash Water	EXAMPLE: NW Corner of Parking Lot	AT THE UNAUTHORIZED NSWD SOURCE	AT THE UNAUTHORIZED NSWD AREA AND DISCHARGE LOCATION	NSWD ELIMINATION DATE.
-			!		
AM					
AM					
AM					
AM					

2012-2013 ANNUAL REPORT FORM 4-MONTHLY VISUAL OBSERVATIONS OF

SIDE A

STORM WATER DISCHARGES

- Storm water discharge visual observations are required for at least one storm event per month between October 1 and May 31.

 Visual observations must be conducted during the first hour of discharge at all discharge tocations.

 Discharges of temporarily stored or contained storm water must be observed at the time of discharge.

- Indicate "None" in the first column of this form if you did not conduct a monthly visual observation.
- Make additional copies of this form as necessary.

 Until a monthly visual observation is made, record any eligible storm events that do not result in a storm water discharge and note the date, time, name, and title of who observed there was no storm water discharge.

10, 22 Observation Date: October 2012	Drainage Location Description	#1 SEE	#2 ATTACHED	#3 FORM	#4
Observers Name: Anthony Paredes Jr.	Observation Time	□P. □A.		P.M.	□P.M. □A.M.
Title: Supervisor	Time Discharge Began	□P.	л. <u>ПР.М.</u>	P.M.	□P.M. □A.M.
signature: <u>See attached</u>	Were Pollutants Observed (If yes, complete reverse side)	YES NO	YES NO	YES NO D	YES NO
1, 9, 16, 26 Observation Date: November2012	Drainage Location Description	#1 SEE	#2 ATTACHED	#3 FORM	#4
Observers Name: Anthony Paredes Jr.	Observation Time	□ P.		□ P.M. □ A.M.	□P.M. □A.M.
Title: Supervisor	Time Discharge Began	□P.		□ P.M. □ A.M.	□P.M. □A.M.
signature: <u>See attached</u>	Were Pollutants Observed (If yes, complete reverse side)	YES NO	YES NO	YES NO C	YES NO
Observation Date: December 12 2012	Drainage Location Description	#1 SEE	#2 ATTACHED	#3 FORM	#4
Observers Name: Anthony Paredes Jr.	Observation Time	□P. □A		□ P.M. □ A.M.	□P.M. □A.M.
Title: Supervisor	Time Discharge Began	□P □A	M. □P.M. M. □A.M.	□ P.M. □ A.M.	□P.M. □A.M.
Signature See attacked	Were Pollutants Observed (If yes, complete reverse side)	YES NO	YES NO	YES NO D	YES NO
Observation Date: January 23 2013	Drainage Location Description	#1 SEE	#2 ATTACHED	#3 FORM	#4
Observers Name: Anthony Paredes Jr.	Observation Time	□P □A			□P.M. □A.M.
Title: Supervisor	Time Discharge Began		M. □P.M. M. □AM.		□P.M. □A.M.
Signature: See attached	Were Poliulants Observed (If yes, complete reverse side)	YES NO	YES NO	YES NO	YES NO D

FORM 4-MONTHLY VISUAL OBSERVATIONS OF STORM WATER DISCHARGES

SIDE B

DATE/TIME OF OBSERVATION (From Reverse Side)	DRAINAGE AREA DESCRIPTION	DESCRIBE STORM WATER DISCHARGE CHARACTERISTICS	IDENTIFY AND DESCRIBE SOURCE(S) OF POLLUTANTS	DESCRIBE ANY REVISED OR NEW BMPs AND THEIR DATE OF IMPLEMENTATION
	EXAMPLE: Discharge from material storage Area #2	Indicate whether storm water discharge is clear, cloudy, or discolored; causing staining; containing floating objects or an oil sheen, has odors, etc.	EXAMPLE: Oil sheen caused by oil dripped by trucks in vehicle maintenance area.	
AM				
AM PM				
AM				
AM				

2012-2013 ANNUAL REPORT FORM 4 (Continued)-MONTHLY VISUAL OBSERVATIONS OF

SIDE A

STORM WATER DISCHARGES

- Storm water discharge visual observations are required for at least one storm everst per month between October 1 and May 31.
 Visual observations must be conducted during the first hour of discharge at all discharge locations.
 Discharges of temporarily stored or contained storm water must be observed at the time of discharge.

- Indicate "None" in the first column of this form if you did not conduct a monthly visual observation.

 Make additional copies of this form as necessary.

 Until a monthly visual observation is made, record any eligible storm events that do not result in a storm water discharge and note the date, time, name, and title of who observed there was no storm water discharge.

				,	
Observation Date: February 19 2013		#1	#2	#3	#4
	Drainage Location Description	SEE	ATTACHED	FORM	
Observers Name. Anthony Paredes Jr.		□ P.M. □ A.M.	☐ P.M. □ A.M.	□ P.M. □ AM.	□ P.M. □ A.M.
Tille: Supervisor	Observation Time	□P.M.	☐ P.M.	☐ P.M.	
signatura See attacked	Time Discharge Began			A.M.	
Signatura: Sec 4. I Mayea	Were Pollutants Observed (If yes, complete reverse side)	YES NO	YES NO	YES NO D	YES NO D
6, 20 Observation Date: March 2013		#1	#2	#3	#4
Observation Determined 2010	Drainage Location Description	SEE	ATTACHED	FORM	
Observers Name: Anthony Paredes Jr.		P.M.	□ P.M.	□ P.M.	□ P.M.
Title: Supervisor	Observation Time			A.M. P.M.	
Signature: See attached	Time Discharge Began	□A.M.		☐ A.M.	
Signature: SEC 41170/104	Were Pollutants Observed (If yes, complete reverse side)	YES NO	YES NO	YES NO	YES NO
Observation Date: April 1 2013		#1	#2	#3	#4
Observation Date. April 2013	Drainage Location Description	SEE	ATTACHED	FORM	
Observers Name: Anthony Paredes Jr.			□ P.M.	□ P.M.	□ P.M.
Title: Supervisor	Observation Time		A.M.		
,	Time Discharge Began	A.M.	A.M.	HAM.	A.M.
Signature: See attached	Were Pollutants Observed (If yes, complete reverse side)	YES NO	YES NO	YES NO C	YES NO
Observation Date: May 31 2013		#1	#2	#3	#4
Cuservation Date. Hazy 2013	Drainage Location Description	SEE	ATTACHED	FORM	
Observers Name: Anthony Paredes Jr.		□P.M.	☐ P.M.	P.M.	□ P.M.
Title: Supervisor	Observation Time	□ A.M. □ P.M.	A.M.	A.M.	□ A.M. □ P.M.
signature. See attached	Time Discharge Began	A.M.	⊟AM.	∐ A.M.	☐ A.M.
Signature: Jee un (41.10)	Were Pollutants Observed (If yes, complete reverse side)	YES NO	YES NO	YES 🗆 NO 🗆	YES NO

SIDE B

FORM 4 (Continued)-MONTHLY VISUAL OBSERVATIONS OF STORM WATER DISCHARGES

OBSERVATION	DRAINAGE AREA DESCRIPTION	DESCRIBE STORM WATER DISCHARGE CHARACTERISTICS	IDENTIFY AND DESCRIBE SOURCE(S) OF POLLUTANTS	DESCRIBE ANY REVISED OR NEW BMPs AND THEIR DATE OF IMPLEMENTATION
(From Reverse Side)	EXAMPLE: Discharge from material storage Area #2	Indicate whether storm water discharge is clear, cloudy, or discolored; causing staining; containing floating objects or an oil sheen, has odors, etc.	EXAMPLE: Oil sheen caused by oil dripped by trucks in vehicle maintenance area.	
AM	_			

AM PM				
AM PM				
AM PM				
AM				

SEE ATTACHED ANNUAL CONPREHENSIVE SITE COMPLIANCE EVALUATION FORM

SIDE A

FORM 5-ANNUAL COMPREHENSIVE SITE COMPLIANCE EVALUATION POTENTIAL POLLUTANT SOURCE/INDUSTRIAL ACTIVITY BMP STATUS

EVALUATION DATE: 6/4/13 INS	PECTOR NAME: Sean D. Riley	,	TITLE	Environmental Manager SIGN	ATURE: Div
POTENTIAL POLLUTANT SOURCEINDUSTRIAL ACTIVITY AREA (as identified in your SWPPP) RWC Dock	HAVE ANY BMPs NOT BEEN FULLY IMPLEMENTED?	TYES XNO	If yes, to either question, complete the next two columns of this form	Describs deficiencies in BMPs or BMP implementation	Describe additional/revised BMPs or corrective actions and their date(s) of implementation
	ARE ADDITIONAL/REVISED BMPs NECESSARY?	□ _{YES}			
POTENTIAL POLLUTANT SOURCEINDUSTRIAL ACTIVITY AREA (as identified in your SWPPP)	HAVE ANY BMPs NOT BEEN FULLY IMPLEMENTED?	□YE\$	If yes, to either question, complete the next two columns of this form	Describe deficiencies in BMPs or BMP implementation	Describe additional/revised BMPs or corrective actions and their date(s) of Implementation
	ARE ADDITIONAL/REVISED BMPs NECESSARY?	∐YES □NO			
POTENTIAL POLLUTANT SOURCE/INDUSTRIAL ACTIVITY AREA (as identified in your SWPPP)	HAVE ANY BMPs NOT BEEN FULLY IMPLEMENTED?	□YES	If yes, to either question, complete the next two columns of this form	Describe deficiencies in BMPs or BMP implementation	Describe additional/revised BMPs or corrective actions and their date(s) of implementation
	ARE ADDITIONAL/REVISED BMPs NECESSARY?	□yes □no	1		
POTENTIAL POLLUTANT SOURCE/INDUSTRIAL ACTIVITY AREA (as identified in your SWPPP)	HAVE ANY BMPs NOT BEEN FULLY IMPLEMENTED?	□YES □NO	If yes, to either question, complete the next two columns of this form	Describe deficiencies in BMPs or BMP implementation	Describe additional/revised BMPs or corrective actions and their date(s) of implementation
	ARE ADDITIONAL/REVISED BMPs NECESSARY?	∐yes ∐no			

SIDE B

FORM 5 (Continued)-ANNUAL COMPREHENSIVE SITE COMPLIANCE EVALUATION POTENTIAL POLLUTANT SOURCE/INDUSTRIAL ACTIVITY BMP STATUS

VALUATION DATE:	INSPECTOR NAME:	TITLE:	SIGNA	TURE:
POTENTIAL POLLUTANT SOURCE/INDUSTRIAL ACTIVITY A (as identified in your SWPPP)	HAVE ANY BMPS NOT BEEN FULLY IMPLEMENTED?	TYES If yes, to either question, complete the next two columns of this	Describe deficiencies in BMPs or BMP Implementation	Describe additional/revised BMPs or corrective actions and their date(s) of implementation
	ARE ADDITIONAL/REVISED BMPs NECESSARY?	□ves form □NO		
POTENTIAL POLLUTANT SOURCE/INDUSTRIAL ACTIVITY A (as identified in your SWPPP)	HAVE ANY BMPs NOT BEEN FULLY IMPLEMENTED?	TYES NO If yes, to either question, complete the next two	Describe deficiencies in BMPs or BMP implementation	Describe additional/revised BMPs or corrective actions and their date(s) of implementation
	ARE ADDITIONAL/REVISED BMPs NECESSARY?	Columns of this form		
POTENTIAL POLLUTANT SOURCE/INDUSTRIAL ACTIVITY A (as identified in your SWPPP)	HAVE ANY BMPs NOT BEEN FULLY IMPLEMENTED?	YES If yes, to either question, complete the next two	Describe deficiencies in BMPs or BMP implementation	Describe additional/revised BMPs or corrective actions and their date(s) of implementation
	ARE ADDITIONAL/REVISED BMPs NECESSARY?	YES form		
POTENTIAL POLLUTANT SOURCE/INDUSTRIAL ACTIVITY / (as identified in your SWPPP)		YES If yes, to either question, complete the next two	Describe deficiencies in BMPs or BMP Implementation	Describe additional/revised BMPs or corrective actions and their date(s) of implementation
	ARE ADDITIONAL/REVISED BMPs NECESSARY?	YES NO		

Suspended Material Odors Oil/Grease Sheen Discolorations Cloudiness	eaucood City Plant	Observations: (Circle all that apply) Floating Material	Describe Discharge:	Describe Discharge Source:
	RAINAGE DIEH BETURE 8 [#] L4 SAPORT BlvD.	Suspended Material Odors	NONE No SAMPLE TAKEN	
Comments/corrective actions taken Pais EVENT STARTED AT ADDRESSMENTLY Mico IN THE MERNING. TO		Cloudiness		

Wet weather observations are required to be done during the first hour of discharge during a storm event preceded by at least 3

Location:	Observations: (Circle all that apply)	Describe Discharge:	Describe Discharge Source:
KEDWOOD CIT	Floating Material		
DRAINAGE DIKA OB J 4 SEAPORT	Suspended Material	NONE No Sample TAKEN	/VOISE
DRAINAGE - TIME	Odors	No Sample TAKEN	
I I THERER	Oil/Grease Sheen		
	Discolorations		
	Cloudiness		
Comments/corrective	actions taken: Pain EUSEN beest	AT ASPENTIMENTY 12:00	NIENT OF 10/21/12. THE
0.20 kundatten		well Seen, Small AREA	WITH THINK SERVE DE STOR
EN ARIEN NOW	Ample 10 Ker .	Title LOCKOIKO	

ocation:	Observations: (Circle all that apply)	Describe Discharge:	Describe Discharge Source:
EDUCTOD (It of PLAN	Floating Material		NaNE
, /	Suspended Material	NONE	
RAINCARE DITCH	Odors	No SAMPLE INKEN	'
TWEEN OB #1+	Oil/Grease Sheen		
SAPORT BlvD.	Discolorations		
	Cloudiness		
omments/corrective action	ns taken: Rein event be	san approximately at	21:10 on 10/31/12. The.
lived 0.21 hundi	the or an inch The a	en was inspectal at	08:30 m 11/01/12 there i
of the severye &	hat held some storm	dis water but nothing	08:30 on 11/01/12, these is running. The storm de
ispector's name 7	LOTADING PAGONS		
1 1111			

		hour of discharge during a storm equired for each month from Octo	ber through May.
Within 1st hr of discharge Proceeded by 3 dry days	(yes no)	Approximate time storm water of Approximate amount of dischar	discharge began:am/pm ///ab//n_gallons
Location: PEDWOOD City HANT DRAWAGE DITCH BETWEEN CB #1 + SERPORT BIND.	Observations: (Circle all that apply) Floating Material Suspended Material Odors Oil/Grease Sheen	Describe Discharge: Nave No Sample IRREN	Describe Discharge Source:
Comments/corrective actions take 2 / Wallittle of an Italy. The chrange Sungle. The Play Inspector's name showing for Signature in a law or		gregunath at 16:00 on	11/08/12. The event produced be poster of Storm water in

Wet weather observations are required to be done during the first hour of discharge during a storm event preceded by at least 3 working days without storm water discharge. Observations are required for each month from October through May. Approximate time storm water discharge began: Within 1st hr of discharge Approximate amount of discharge N/A gallons Proceeded by 3 dry days Describe Discharge Source: Describe Discharge: Location: Observations: (Circle all that apply) Floating Material Suspended Material Odors Oil/Grease Sheen Discolorations Cloudiness with dringles at 10 pt warmy topeous Inspector's name 2012 Time 09:30 AM

Wet weather observations are required to be done during the first hour of discharge during a storm event preceded by at least 3 working days without storm water discharge. Observations are required for each month from October through May. Approximate time storm water discharge began: 6.30 km/pm Within 1st hr of discharge_ Approximate amount of discharge Proceeded by 3 dry days N/A gallons Location: Describe Discharge Source: Observations: Describe Discharge: (Circle all that apply) RESERVED City HT. NONE Floating Material NONE Suspended Material NO Sample Taken Odors 51 Lepont Bloo. Oil/Grease Sheen Discolorations Cloudiness Event began at 05:30 AM (light sain). The event did not To from any sum of (0.00). No Storm water sum of in detal, pipe sky at 10 ps; Date 11/26/12 Time 06:30

Within 1st hr of discharg Proceeded by 3 dry days	e (yes/6) s (yes/no)	Approximate time storm water Approximate amount of discha	discharge began:am/gm rge <u>N/A</u> gallons
Location: REDWOOD City PIT. DRAINAGE DITCH ALDNG SERPORT BIND. 9 C.B. # 1.	Observations: (Circle all that apply) Floating Material Suspended Material Odors Oil/Grease Sheen Discolorations Cloudiness	Describe Discharge:	Describe Discharge Source:
Inspector's name Austrony			Time 08:00

Within 1st hr of discharge Proceeded by 3 dry days		Approximate time storm water di Approximate amount of discharg			
Location: REDUCAD CITY PLANT	Observations: (Circle all that apply) Floating Material Suspended Material	Describe Discharge:	Describe Discharge Source:		
DRAWAGS DITCH BETWEEN SEAPOOT BLOW + CB #1	Odors Oil/Grease Sheen Discolorations Cloudiness	NONE- NO SAMPLE	None.		
Comments/corrective actions taken: Trai event began apport hait at 11/10 pm but dies nut Phollics an Storm Water seem of within 2 hour of the start of the event. Small Probles in deringe Socrete from previous 377m decents. Inspector's name Auromet Margons XR Title Superviser Signature March Mellos Date 01/23/23 Time 13:00					

Within 1st hr of discharge Proceeded by 3 dry days		Approximate time storm water d Approximate amount of discharge	
ocation:	Observations: (Circle all that apply) Floating Material	Describe Discharge:	Describe Discharge Source:
EXWAD City FLANT	Suspended Material	NO Sample TAKEN	NONE
DRAINAGE DITCH BETWEEN SEADORT BUD+ CB #1	Odors Oil/Grease Sheen		
	Discolorations Cloudiness		
Sum any Mono of acus	en: Rain event did so emulation There we	not produce enough Store	water within the fits deanings surge that w
y Famil water.	Pageses, JR.	_ Title Super view	Time_ <i>QB:OD</i>

Within 1st hr of discharge Proceeded by 3 dry day	ge (yesha) s (fesho)	Approximate time storm water of Approximate amount of dischar	lischarge began: /// am/pm
Location: Repures Cuty Flows	Observations: (Circle all that apply) Floating Material Suspended Material	Describe Discharge:	Describe Discharge Source:
DRAMAGE Ditch BETWEEN SCHOOL BUDD + CB#1	Odors Oil/Grease Sheen Discolorations Cloudiness	No Sample Taken	NONE
Comments/corrective actions to	oros Jr.	produce among po at only registered. 18 hours Title Supervision Data March 6, 2013	

Within 1 st hr of discharge Proceeded by 3 dry days	e(yes(ng) (yes/no)	Approximate time storm water di Approximate amount of discharg	ischarge began: Mam/pm
Location:	Observations: (Circle all that apply)	Describe Discharge:	Describe Discharge Source:
REDWOOD City Plant	Floating Material		
7	Suspended Material		
DRAINAGE ZITEL BETWEEN ERDORT BLUS + C8 # 1	Odors	100 SAMPLE MEEN	NONE
Figuret 8/w + C8 #1	Oil/Grease Sheen		
	Discolorations		
	Cloudiness		
Comments/corrective actions tak	en: Pain swent began	over night after he	upo. Rain bunt dich
not produce enough.	for Storm water sun of	of The exect produces	L. 13 hundrette at Westle Station.
Inspector's name Asmen	Permita.	Title Sepenoison	
Signature	mids ;	Date Wash 20, 20,51	Time <u>08:00</u>

Location: Represent City Flant	Observations: (Circle all that apply)	Describe Discharge:	Describe Discharge Source:
DRAWAGE DITCH BETWEEN	Floating Material Suspended Material	No Sample Taked	NONE
CB II + SADORT BIND	Odors	Li villa constanti di constanti	
	Oil/Grease Sheen Discolorations		
	Cloudiness		
Comments/corrective actions tak	on: Pain event began	dering our night he	our and late Sunday afternoon
drange swayer tops an	MEDON &	Title Suprision	. 04
Signature without and	la (Date 04/01/13	Time <u>08:00</u>

Wet weather observations are required to be done during the first hour of discharge during a storm event preceded by at least 3 working days without storm water discharge. Observations are required for each month from October through May. Approximate time storm water discharge began:

Approximate amount of discharge gall (yes/ne) Within 1st hr of discharge _ _am/pm Proceeded by 3 dry days ____ Location: Observations: Describe Discharge: Describe Discharge Source: (Circle all that apply) REDWOOD City PH. Floating Material NO SAMPLE PAKEN NONE Suspended Material NONE SOMPORT BID. Odors Oil/Grease Sheen Discolorations Cloudiness Comments/corrective actions taken: Mr Meas would sainful during the month of May Title Superior Sor TAREDES YAR Inspector's name Date 5/31/13 Time 09:00 Signature

Visual observations for the presence of unauthorized non-storm water discharges are required quarterly, during daylight hours, on days with no storm water discharges, and during scheduled facility operating hours. Quarterly observations shall be conducted in each of the following periods: January-March, April-June, July-September, and October-December. Observations shall occur within 6-18 weeks of each other.

Non-Storm Water Discharge Observed

Yes (No

Indications of Prior Non-Storm Water Discharge
Yes No
If either of the above is yes (leave blank if no non-storm water discharge observed):

Discharge Location	Discharge Characteristics	Source of Discharge
REDWOOD CITY HANT DRAWAGE DITCH BETWEEN CB#1 SEAFERT BIND.	Stains Sludges A/0.4-	
DR#125 3/2	Studges NONE	NONE
CO I DEAPORT ON.	Odor	The second secon
	Other:	
		1
Comments/Corrective Action Taken:	E - / STORM WATED THE	DRAW Poper Place At 10 ps 1
Inspector's Name Anxion Theory	K. Title:	Supervisor
Signature la the and	Date: L	ugent 17 10/ time 11:00 tollom
.) ` /		U

Visual observations for the presence of unauthorized non-storm water discharges are required quarterly, during daylight hours, on days with no storm water discharges, and during scheduled facility operating hours. Quarterly observations shall be conducted in each of the following periods: January-March, April-June, July-September, and October-December. Observations shall occur within 6-18 weeks of each other.

Non-Storm Water Discharge Observed

Indications of Prior Non-Storm Water Discharge

If either of the above is yes (leave blank if no non-storm water discharge observed):

Discharge Location	Discharge Characteristics	Source of Discharge
Pours City Plant	Stains	
ROWOOD City PLANT	Sludges None	NONE
//ock	Odor	
	Other:	
		E AND BASKE LOADING SUPPORT
S OF OG/22/12, AND	MIND FROM THE DOCK All BARGE. ASEMENT OF THE DOCK RETURNED TO	CONDICIONATIONS HAVE BEEN FERMINAT
	70	Titles
Inspector's Name	DUST FREDER JR	Date: 07.22, 20/2 Time / 7:00 am/m

Visual observations for the presence of unauthorized non-storm water discharges are required quarterly, during daylight hours, on days with no storm water discharges, and during scheduled facility operating hours. Quarterly observations shall be conducted in each of the following periods: January-March, April-June, July-September, and October-December. Observations shall occur within 6-18 weeks of each other.

Yes No

Non-Storm Water Discharge Observed

Indications of Prior Non-Storm Water Discharge

Discharge Location	Discharge Characteristics	Source of Discharge
EDUCOD City Flant Drumphe Ditch Berusen 28 ±1 4 Engart BLUD.	Stains Sludges Odor Other:	Nove
omments/Corrective Action Take	Will damy Some standing	water * Pope play at 10 ps;

Visual observations for the presence of unauthorized non-storm water discharges are required quarterly, during daylight hours, on days with no storm water discharges, and during scheduled facility operating hours. Quarterly observations shall be conducted in each of the following periods: January-March, April-June, July-September, and October-December. Observations shall occur within 6-18 weeks of each other.

Non-Storm Water Discharge Observed

Indications of Prior Non-Storm Water Discharge

Discharge Location	Discharge Characteristics	Source of Discharge
ADDICES CITY PLANT	Stains	
<i>,</i>	Sludges	
ZAINAGE DHILL BETWEEN STAPORT	Odor None	NOME
Bo. + CB #7	Other:	
Comments/Corrective Action Taken: Small	Il aven within downing A. Pipa play at 18 ps; Sorot	nearly that is clamp and is hold. Title: Supervisor

Visual observations for the presence of unauthorized non-storm water discharges are required quarterly, during daylight hours, on

days with no storm water discharges, and throng scheduled facility operating hours. Quarterly observations shall be conducted in each of the following periods: January-March, April-June, July-September, and October-December. Observations shall occur within 6-18 weeks of each other. Non-Storm Water Discharge Observed Indications of Prior Non-Storm Water Discharge If either of the above is yes (leave blank if no non-storm water discharge observed): Discharge Location Discharge Characteristics Source of Discharge Stains Rewood City HANT Sludges DRAINAGE DITCH BETWEEN שמעל Odor Emport Bloo. 4CB #1 Other: Comments/Corrective Action Taken:

Annual Comprehensive Site Compliance Evaluation

Evaluation Date: 6/4/13	-	
1. Review monitoring reports _	inspection records <u>4e5</u>	sampling results 4e5
2. Visually inspect all potential	pollutant sources and spill response	e equipment (list below):
Inspected Area/Location	Evidence of/Potential for Pollutan	ts
Redwood City	None	
Review and evaluate existing Are any SWPPP revisions necessary	_	facility a perations
and lease has been ter	L L	1
Have there been any incidents of no taken: previous had lower	-	
to bird droppings. Dock		
Evaluated By: Sean Riley	Signature	Environmental Wage
Evaluated By:	Signature	Title
Evaluated By:	Signature	Title
Evaluated By:	Signsture	Title
"I certify under penalty of law that this do supervision in accordance with a system of information submitted. Based on my inquidirectly responsible for gathering the inforbelief, true, accurate, and complete. I am including the possibility of fine and impris	esigned to ensure that qualified personnel iry of the person or persons who manage transition, the information submitted is to the aware that there are significant penalties for knowing violations."	properly gather and evaluate the the system, or those persons e best of my knowledge and or submitting false information,
- JOHN W. MINT		Williamental Mgc.